2024 Community Risk Profile Summary

Pierce County

May 2024

Indicators associated with substance use prevention and mental health promotion.

Presented at the State, County, and School District level for use by communities in directing their resources and in seeking additional funding.



CONTRIBUTORS

DSHS Research and Data Analysis Division: Aaron Starks, MA | Grace Hong, PhD | Irina Sharkova, PhD | Stephen Leibenguth In collaboration with the HCA Division of Behavioral Health and Recovery, Substance Use Disorder Prevention and Mental Health Promotion Section: Kasey Kates, MSW, Policy and Program Supervisor | Sandy Salivaras, MSc, MPH, Epidemiological Prevention Research and Evaluation Manager | Sarah Mariani, CPP, Section Manager





ABOUT THIS REPORT

This summary report has been developed for the Community Prevention and Wellness Initiative (CPWI) to assist coalitions in their prevention strategic planning. We have included data from your county, presented by school district, for the assessment of problems associated with substance use. This report is intended to serve as a starting point for your planning and assessment work. Additional data that can only be collected locally will help with the interpretation of the data and in other ways enhance this assessment process.

The Community Prevention and Wellness Initiative is a project of the Health Care Authority's Division of Behavioral Health and Recovery (DBHR) in collaboration with the Office of the Superintendent of Schools (OSPI). The Department of Social and Health Services' Division of Research and Data Analysis is a key partner that leads the publication of this report and the associated data.

ABOUT THE DATA

The CORE contains archival indicators (or social indicators) that are highly correlated with adolescent substance use, and the risk factors that predict substance use. There are currently 47 indicators, most of which originate from the Department of Health, Department of Social and Health Services, Uniform Crime Report/National Incident-Based Reporting System, and the Office of the Superintendent of Public Instruction. The data are published twice a year on a public website, and reported at the lowest feasible geography level: state, county, school district/community, and locale (a geography that incorporates more than one school district when the base population of the school district is too low for reliable reporting). See https://www.dshs.wa.gov/ffa/research-and-data-analysis/community-risk-profiles.

The Risk Rankings table(s) and maps have been developed using the data from CORE and Healthy Youth Survey (HYS). School district-level and more detailed HYS data are password protected and require a data sharing agreement with the Department of Health. State and county reports are available to the public at AskHYS.net.

ATTENTION! HYS 2023 and 2021 were different from past surveys in several ways, so caution should be used when examining the long-term trends before and after the 2021 HYS:

- The pandemic likely influenced student behaviors and responses to the survey.
- There was a three-year gap (2018 to 2021) instead of the usual two-year gap delaying the survey by a year changed the group/cohort of students being surveyed.
- The 2021 and 2023 HYS were conducted electronically while previous surveys were conducted using paper and pencil.
- Results from the 2021 HYS showed dramatic changes compared to prepandemic trends, calling for cautious interpretation. The 2023 data are beginning to provide a more complete understanding of adolescent health during and after the height of the pandemic. The 2025 survey may further clarify the impact of 2021 on students both that year and going forward.

FOR MORE INFORMATION

Questions about this report or the Community Prevention and Wellness Initiative may be directed to the DBHR Training team at PxTraining@hca.wa.gov.

PIERCE COUNTY		RISK RANKING		RISK CATEGORY RANK		CONTEXTUAL INDICATORS	
School District	Population: Age 10-17*	Rank for Variable	Indicators with Data	ATMO Consumption	Consequence	Economic Deprivation	Troubled Family
Bethel	14,551	45	22	Average	Average	Average	Average
Clover Park	7,054	53	22	Average	High	High	Average
Eatonville	1,458	49	22	Average	Average	Average	Average
Fife	2,379	65	13	Average	Average	Average	Average
Franklin Pierce	5,449	63	22	Average	High	High	Average
Orting	1,876	77	22	High	Average	Low	Low
Peninsula	7,393	21	22	Low	Low	Very Low	Low
Puyallup	15,978	36	22	Average	Average	Average	Average
Steilacoom Hist.	2,218		3	No Data	No Data	Low	Low
Sumner	6,376	50	22	Average	Average	Low	Low
University Place	3,276	20	22	Low	Low	Average	Average
White River	2,952	51	22	Average	Average	Low	Low

NOTES:

* This is a 5-year average value.

This risk profile reflects the risk levels of this county as of May 2024. School districts with no high schools are not included in this summary. Please note risk levels and risk rankings may change over time.

The ATMO consumption risk score is calculated from prevalence of alcohol, tobacco, marijuana, and prescription opioids use. The consequence risk score is calculated from school performance, youth delinquency, and mental health indicators. The overall risk ranking is not computed if either consumption or consequence score is missing.

A Risk Category Rank of "Very High" indicates the referenced School District Risk Score was in the top 10% of School Districts in the risk category.

A Risk Category Rank of "High" indicates the referenced School District Risk Score was in the top 25% of School Districts in the risk category.

A Risk Category Rank of "Average" indicates the referenced School District Risk Score was between 25% and 75% of School Districts in the risk category.

A Risk Category Rank of "Low" indicates the referenced School District Risk Score was in the bottom 25% of School Districts in the risk category.

A Risk Category Rank of "Very Low" indicates the referenced School District Risk Score was in the bottom 10% of School Districts in the risk category.

Review Considerations

- 1) To get an overall sense of risk severity for both consumption and consequence, examine the "Risk Percentile". It reflects what % of School District had a Risk Score LOWER than the referenced School District.
- 2) To ensure that the risk score is meaningful, examine the "Indicators with data" column. Risk scores based on few indicators should be interpreted with caution. In total, 22 indicators were used.
- 3) To consider other contextual information, examine the "Population: Age 10-17", "economic deprivation" indicator, and the "troubled family" indicator. Note the "Population 10-17 year olds" value may be greater than district enrollment as it accounts for kids not in school as well as those in private schools.

ATTENTION! HYS 2023 and 2021 were different from past surveys in several ways, so caution should be used when examining the long-term trends before and after the 2021 HYS:

- The pandemic has likely influenced student behaviors and responses to the survey.
- There was a three-year gap (2018 to 2021) instead of the usual two-year gap delaying the survey by a year changed the group/cohort of students being surveyed.
- The 2021 and 2023 HYS were conducted electronically while previous surveys were conducted using paper and pencil.
- Results from the 2021 HYS showed dramatic changes compared to prepandemic trends, calling for cautious interpretation. The 2023 data are beginning to provide a more complete understanding of adolescent health during and after the height of the pandemic. The 2025 survey may further clarify the impact of 2021 on students both that year and going forward.

TACOMA PUBLIC SCHOOLS		RISK RANKING		RISK CATEGORY RANK		CONTEXTUAL INDICATORS	
School District	Population: Age 10-17*	Rank for Variable	Indicators with Data	ATMO Consumption	Consequence	Economic Deprivation	Troubled Family
Foss HS	5,100	38	22	Average	Average	Very High	Average
Lincoln HS (Tacoma)	6,940	71	13	High	Average	Very High	High
Mount Tahoma HS	6,481	40	13	Average	Average	Very High	Average
Stadium HS	6,941	20	22	Average	Low	High	Average
Wilson HS	3,487	32	22	Average	Low	Average	Average

NOTES:

* This is a 5-year average value.

This risk profile reflects the risk levels of this county as of May 2024. Please note risk levels and risk rankings may change over time.

The ATMO consumption risk score is calculated from prevalence of alcohol, tobacco, marijuana, and prescription opioids use. The consequence risk score is calculated from school performance, youth delinquency, and mental health indicators. The overall risk ranking is not computed if either consumption or consequence score is missing.

A Risk Category Rank of "Very High" indicates the referenced High School Risk Score was in the top 10% of High Schools in the risk Category.

A Risk Category Rank of "High" indicates the referenced High School Risk Score was in the top 25% of High Schools in the risk Category.

A Risk Category Rank of "Average" indicates the referenced High School Risk Score was between 25% and 75% of High Schools in the risk Category.

A Risk Category Rank of "Low" indicates the referenced High School Risk Score was in the bottom 25% of High Schools in the risk Category.

A Risk Category Rank of "Very Low" indicates the referenced High School Risk Score was in the bottom 10% of High Schools in the risk Category.

Review Considerations


- 1) To get an overall sense of risk severity for both consumption and consequence, examine the "Risk Percentile". It reflects what % of High Schools had a Risk Score LOWER than the referenced High School.
- 2) To ensure that the risk score is meaningful, examine the "Indicators with data" column. Risk scores based on few indicators should be interpreted with caution. In total, 22 indicators were used.
- 3) To consider other contextual information, examine the "Population: Age 10-17", "economic deprivation" indicator, and the "troubled family" indicator. Note the "Population 10-17 year olds" value may be greater than district enrollment as it accounts for kids not in school as well as those in private schools.

ATTENTION! HYS 2023 and 2021 were different from past surveys in several ways, so caution should be used when examining the long-term trends before and after the 2021 HYS:

- The pandemic has likely influenced student behaviors and responses to the survey.
- There was a three-year gap (2018 to 2021) instead of the usual two-year gap delaying the survey by a year changed the group/cohort of students being surveyed.
- The 2021 and 2023 HYS were conducted electronically while previous surveys were conducted using paper and pencil.
- Results from the 2021 HYS showed dramatic changes compared to prepandemic trends, calling for cautious interpretation. The 2023 data are beginning to provide a more complete understanding of adolescent health during and after the height of the pandemic. The 2025 survey may further clarify the impact of 2021 on students both that year and going forward.

Marijuana Composite Ranking

by School District, Pierce County




Department of Social & Health Services

Transforming lives

DATA NOTES: The percentile of the composite risk scores. The composite risk scores were calculated using standardized indicators in marijuana consumption and consequence. Based on 2023 HYS data. CARTOGRAPHY: Irina Sharkova and Steve Leibenguth. **SOURCE:** DSHS Research and Data Analysis, Community Outcome and Risk Evaluation Geographic Information System (COREGIS).

Marijuana Consumption Ranking

by School District, Pierce County




DATA NOTES: The percentile of the consumption risk scores. The composite risk scores were calculated using standardized indicators Department of Social & Health Services in marijuana consumption. Based on 2023 HYS data. CARTOGRAPHY: Irina Sharkova and Steve Leibenguth. Transforming lives

Washington State Health Care Authority

Alcohol, Tobacco, Marijuana and Prescription Opioids Composite Ranking

by School District, Pierce County




Department of Social & Health Services Transforming lives

DATA NOTES: The percentile of the composite risk scores. The composite risk scores were calculated using standardized indicators in the alcohol, tobacco, marijuana and prescription opioids (ATMO) consumption and consequence. Based on 2023 HYS data. CARTOGRAPHY: Irina Health Care Authority Sharkova and Steve Leibenguth.

Washington State

Alcohol, Tobacco, Marijuana and Prescription Opioids Consumption Ranking

by School District, Pierce County



Department of Social & Health Services and Steve Leibenguth. Transforming lives


DATA NOTES: The percentile of the consumption risk scores. The consumption risk scores were calculated using standardized indicators in the alcohol, tobacco, marijuana and prescription opioids (ATMO) consumption. Based on 2024 HYS data. CARTOGRAPHY: Irina Sharkova

Washington State Health Care Authority

May 2024

Consequence Risk Ranking

by School District, Pierce County



DATA NOTES: The percentile of the consequence risk scores. The consequence risk scores were calculated using standardized indicators in three sub-domains: school performance, youth delinquency, and mental health. Based on 2023 HYS data. CARTOGRAPHY: Irina Sharkova and Steve Leibenguth.

Washington State
Health Care Authority


Transforming lives

Department of Social

& Health Services

Marijuana Composite Ranking

by High School Attendance Area, Tacoma Public Schools






DATA NOTES: The percentile of the composite risk scores. The composite risk scores were calculated using standardized indicators in marijuana consumption and consequence. Based on 2023 HYS data. CARTOGRAPHY: Irina Sharkova and Steve Leibenguth. **SOURCE:** DSHS Research and Data Analysis, Community Outcome and Risk Evaluation Geographic Information System (COREGIS).



Marijuana Consumption Ranking

by High School Attendance Area, Tacoma Public Schools






DATA NOTES: The percentile of the consumption risk scores. The composite risk scores were calculated using standardized indicators in marijuana consumption. Based on 2023 HYS data. CARTOGRAPHY: Irina Sharkova and Steve Leibenguth.

Washington State
Health Care Authority

Alcohol, Tobacco, Marijuana and Prescription Opioids Composite Ranking

by High School Attendance Area, Tacoma Public Schools






DATA NOTES: The percentile of the composite risk scores. The composite risk scores were calculated using standardized indicators in the alcohol, tobacco, marijuana and prescription opioids (ATMO) consumption and consequence. Based on 2023 HYS data. CARTOGRAPHY: Irina Health Care Authority Sharkova and Steve Leibenguth.

Washington State

Alcohol, Tobacco, Marijuana and Prescription Opioids Consumption Ranking

by High School Attendance Area, Tacoma Public Schools






DATA NOTES: The percentile of the consumption risk scores. The consumption risk scores were calculated using standardized indicators in the alcohol, tobacco, marijuana and prescription opioids (ATMO) consumption. Based on 2024 HYS data. CARTOGRAPHY: Irina Sharkova and Steve Leibenguth.

Washington State
Health Care Authority

Consequence Risk Ranking

by High School Attendance Area, Tacoma Public Schools





DATA NOTES: The percentile of the consequence risk scores. The consequence risk scores were calculated using standardized indicators in three sub-domains: school performance, youth delinquency, and mental health. Based on 2023 HYS data. CARTOGRAPHY: Irina Sharkova and Steve Leibenguth.

Washington State
Health Care Authority